



# AERATORS

## "AGRIVATOR" AV SERIES



[www.agrifarm.com.au](http://www.agrifarm.com.au)



# Rigid Frame Aerators



## Agrivator AV Series

3pt linkage mounted rolling tine aerator.

Ideal for shattering and allowing water absorption into the soil and expansion of root zone in pasture and crops. Trailing kit available



## Features

- \* Heavy duty frame design
- \* Extra large capacity rotor bearings (greasable)
- \* High wear resistant twisted tines
- \* Two rotors in all rigid frame models
- \* Cat 1 and 2 clevis hitch
- \* 4 x angle settings for rotors 0 - 10°
- \* Park stands x 4 for storage
- \* Painted or Galvanised main frame
- \* Tow hitch for harrows etc
- \* All Pre-Bracketed for optional extras



Model	Aeration Width	No of Tines	Min Power Requirement		Weight Kg	Transport Width	Galvanised	Trailing Kit
			kW	Hp				
AV 150	1500mm	32	33	45	420	1780	○	○
AV 200	1900mm	40	38	50	500	2180	○	○
AV 250	2300mm	48	52	70	580	2580	○	○
AV 300	2700mm	56	67	90	700	2980	○	○
AV 400	3900mm	80	82	110	920	4180	○	○

○ = Optional  
S = Standard



# Hydraulic Fold Aerators



## Features

- \* Heavy duty frame design
- \* Extra large capacity rotor bearings (greasable)
- \* High wear resistant twisted tines
- \* Four rotors in all hydraulic frame models
- \* Cat 2 and 3 clevis hitch
- \* 4 x angle settings for rotors 0 - 10°
- \* Hydraulic fold up for easy access through gates & road transport
- \* Large diameter re-phasing cylinders with lock valves for safe transport
- \* Wing frames with weight bays
- \* Park stands x 7 for storage
- \* All Pre-Bracketed for optional extras



Model	Aeration Width	No of Tines	Min Power Requirement		Weight Kg	Transport Width	Galvanised	Trailing Kit
			kW	Hp				
AV 400H	4100mm	80	82	110	1700	3000	○	○
AV 500H	4900mm	96	97	130	1860	3000	○	○
AV 600H	5700mm	112	112	150	2100	3000	○	○

○ = Optional  
S = Standard

# Agrivator Aerator Optional Extras

## ASB Seeders

- \* Available to suit AV/150, AV/200, AV/250, AV/300, AV/400 rigid frame and AV/400H, AV/500H and AV/600H hydraulic fold aerators.
- \* Available in modules of 900mm wide
- \* Mounted on RHS member of frame
- \* Capacity 22 litres per module
- \* Stainless steel metering discs with 8 hole settings
- \* Australian Made in Taree



## Agriharroz Spring Tine Harrows

- \* Available to suit AV/150, AV/200, AV/250, AV/300, AV/400 rigid frame and AV/400H, AV/500H and AV/600H hydraulic fold aerators.
- \* 2 rows of spring tines
- \* Quick pin location for transport
- \* Easy pin removal if Agriharroz are not required
- \* Close to rear of machine for exceptional maneuverability
- \* Australian made in Taree

Your Dealer:



Manufactured by:

**AG - ENGINEERING PTY. LTD.** ABN 15 168 153 419

Arkwright Crescent, Taree NSW 2430

TELEPHONE (02) 6552 6888 ~ FAX (02) 6551 0307

Email: [sales@agrifarm.com.au](mailto:sales@agrifarm.com.au)

Web site: [www.agrifarm.com.au](http://www.agrifarm.com.au)

Ag - Engineering's policy is to continually review machine designs to improve performance. We therefore reserve the right to vary the specifications to those shown on this brochure.

